

# DELTA<sup>®</sup>

HIGH PERFORMANCE AIR & MOISTURE BARRIERS

DÖRKEN

## DELTA<sup>®</sup>-DRY

Ventilated Rainscreen For Absorptive Claddings.



Controls moisture in wall assemblies.  
Keeps walls dry.



Critical Drainage and Drying for Exterior Walls.

# DELTA<sup>®</sup>-DRY

## High Performance Rainscreen System.





### DELTA®-DRY STUCCO & STONE

#### Ventilated Rainscreen with Pre-installed Mortar Screen for Manufactured Stone and Conventional Stucco Claddings.™

DELTA®-DRY STUCCO & STONE has a mortar screen factory-installed on the exterior side of the membrane. This prevents scratch coats from filling the drainage and ventilation channels during application.

- Excellent water resistance
- Outstanding drainage capacity
- Exceptional drying capability
- Full capillary break
- Stops solar-driven moisture
- Advanced technology
- Extremely durable
- Easy to install

#### Technical Data Overview:

Test	Method	Units	Results
Ventilation/Airflow	ASTM E2925-14	L/s	1.18 @ 10 Pa* 1.41 @ 10 Pa**
Drainage	ASTM D5199-12	%	1.94* 0.65**
Thickness	ASTM D5199-12	mm	10.76
Compression Strength	ASTM D6364-06	kPa	123.2
UV Exposure	ASTM D6364-06	kPa	116.5
Heat Aging	ASTM D6364-06	kPa	136.5
Mold/Fungal Growth	ASTM C1338-14	Visual	No Mold
Water Exposure	ASTM D6364-06	kPa	126.8

\* Test Results performed with insect screen.

\*\* Test Results performed without insect screen.



DELTA® System  
 Ventilated Rainscreen  
 For Absorptive  
 Écran de pluie  
 pour le bardage  
 PREMIUM QUALITY, QUALITÉ PREMIUM  
**DELTA®-DRY**  
 Ventilation required at TOP and BOTTOM  
 For details go to [www.deltadry.com](http://www.deltadry.com)  
 Ventilation requise. Consultez le  
[www.deltadry.com](http://www.deltadry.com) pour plus de détails.  
 1-888-4DELTA4 (433-5824)  
[www.deltadry.com](http://www.deltadry.com)

# DELTA<sup>®</sup>-Accessories for DELTA<sup>®</sup>-DRY.

Cosella-Dörken makes your life easier – systematically.

You are sure to appreciate these handy DELTA<sup>®</sup>-Accessories:



## DELTA<sup>®</sup>-BUG SCREEN

Resist insects while allowing full drainage and ventilation.



## DELTA<sup>®</sup>-MULTI-BAND

A versatile acrylic adhesive tape with very strong adhesion.



## DELTA<sup>®</sup>-FLEXX BAND

Highly stretchable rubber bitumen for sealing penetrations and detail areas.

# DELTA<sup>®</sup>



DELTA<sup>®</sup> is a registered trademark of Ewald Dörken AG, Herdecke, Germany.



Dörken Systems Inc.  
4655 Delta Way  
Beamsville,  
ON L0R 1B4, Canada  
Tel.: +1 (905) 563 3255  
Fax: +1 (905) 563 5582  
info@dorken.com  
www.dorken.com

A Dörken Group company

The information printed in this brochure reflects product information and specifications at the date of printing. The manufacturer reserves the right to make changes when necessary. All rights reserved.

DELTA<sup>®</sup>-branded quality products manufactured by Dörken.

Visit us on:



LinkedIn



Twitter



YouTube

