Material Safety Data Sheet



Revision Number: 001.0

Issue date: 04/05/2011

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Product type: OSI Green Series SC-175 Draft and Acoustical Sound Sealant Sealant IDH number:

1496542

Company address: Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067 Region:United StatesContact information:Telephone: 800.624.7767MEDICAL EMERGENCY Phone: Poison Control Center1-877-671-4608 (toll free) or 1-303-592-1711TRANSPORT EMERGENCY Phone: CHEMTREC1-800-424-9300 (toll free) or 1-703-527-3887

2. HAZARDS IDENTIFICATION

	EMERGENCY OVERVIEW	
	HMIS:	
Physical state: pasty	HEALTH: 1	
Color: white	FLAMMABILITY: 1	
Odor: Acrylic		
	Personal Protection: See MSDS Section 8	
CAUTION:	MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.	
Relevant routes of exposure:	Skin, Inhalation	
neievant routes of exposure.	onn, miaidion	
Potential Health Effects		
Inhalation: Skin contact:	Inhalation of vapors from uncured sealant may cause respiratory tract irritation. Contains crystalline silica (quartz), which is classified as a possible carcinogen. However, the crystalline silica present in this product is encapsulated in the liquid and will only be liberated if the product is sanded or abraded, and even then what is liberated will not be pure crystalline silica. Appropriate precautions, however, should be taken if the product is sanded or abraded to prevent personnel from breathing the dust. Prolonged or repeated contact with uncured sealant may cause skin irritation.	
Eye contact: Ingestion:	Contact with uncured product may irritate the eyes. Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal irritation and disturbances.	
Existing conditions aggravated by exposure:	y Pre-existing skin, eye and respiratory allergies.	
	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).	

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%
Limestone	1317-65-3	30 - 60
Oxydiethylene dibenzoate	120-55-8	1 - 5
Ethylene glycol	107-21-1	1 - 5
Quartz (SiO2)	14808-60-7	0.1 - 1
Titanium dioxide	13463-67-7	0.1 - 1

4. FIRST AID MEASURES		
Inhalation:	Move to fresh air. If symptoms persist, seek medical advice.	
Skin contact:	Wash affected area immediately with soap and water. If symptoms develop and persist, get medical attention.	
Eye contact:	In case of contact with the eyes, rinse immediately with plenty of water for minutes, and seek immediate medical attention.	
Ingestion:	Rinse out mouth. Do not drink. Never give anything by mouth to an unconscious person. If adverse health effects develop seek medical attenti	
5. FIRE FIGHTING MEASURES		
Flash point:	Not applicable	
Autoignition temperature:	Not available	
Flammable/Explosive limits - lower:	Not available	
Flammable/Explosive limits - upper:	Not available	
Extinguishing media:	Water spray (fog), foam, dry chemical or carbon dioxide.	
Special firefighting procedures:	Water may be unsuitable as an extinguishing media, but may be helpful in keeping adjacent containers cool.	
Unusual fire or explosion hazards:	This product is an aqueous mixture which will not burn. If evaporated to dryness, the solid residue may pose a slight fire hazard.	
Hazardous combustion products:	Oxides of nitrogen. Oxides of carbon.	

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Environmental precautions: Ventilate area. Do not allow product to enter sewer or waterways.

 Clean-up methods:
 Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up.

 Absorb spill with inert material.
 Shovel material into appropriate container for disposal. Wear appropriate protective equipment and clothing during clean-up.

7. HANDLING AND STORAGE

Handling:

Avoid contact with eyes. Avoid prolonged or repeated skin contact with this material. Use only with adequate ventilation. Wash hands before breaks and immediately after handling the product. Keep out of the reach of children.

Storage:

Keep from freezing.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Limestone	10 mg/m3 TWA Total dust.	5 mg/m3 TWA Respirable fraction. 15 mg/m3 TWA Total dust.	None	None
Oxydiethylene dibenzoate	None	None	None	None
Ethylene glycol	100 mg/m3 Ceiling Aerosol.	None	None	None
Quartz (SiO2)	0.025 mg/m3 TWA Respirable fraction.	2.4 MPPCF TWA Respirable. 0.1 mg/m3 TWA Respirable. 0.3 mg/m3 TWA Total dust.	None	None
Titanium dioxide	10 mg/m3 TWA	15 mg/m3 TWA Total dust.	None	None

Engineering controls:

Use local exhaust ventilation.

Respiratory protection:

Eye/face protection:

Skin protection:

No personal respiratory protective equipment normally required.

None required in normal use.

Use impermeable gloves and protective clothing as necessary to prevent skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/ range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): VOC content:

pasty white Acrylic Not available 7.5 15 mm hg (20 °C (68°F)) no method > 100 °C (> 212°F) Not available 1.589 Heavier than air, (Air = 1)Not applicable Not available Not available Not available 0.6 (Butyl acetate = 1) Soluble Not available < 1 %; 45 g/l (calculated)

10. STABILITY AND REACTIVITY

Stability:	Stable under normal conditions of storage and use.
Hazardous reactions:	Will not occur.
Hazardous decomposition products:	Oxides of nitrogen. Oxides of carbon.
Incompatible materials:	None expected.
Conditions to avoid:	None known

11. TOXICOLOGICAL INFORMATION

Product toxicity data:

Henkel is not aware of any toxicity data on the specific mixture of chemical components contained in this product.

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Limestone	No	No	No
Oxydiethylene dibenzoate	No	No	No
Ethylene glycol	No	No	No
Quartz (SiO2)	Known carcinogen.	Group 1	No
Titanium dioxide	No	Group 2B	No
Hazardous components		Health Effects/Targe	t Organs

Hazardous components	Health Enects/Target Organs	
Limestone	Nuisance dust	
Oxydiethylene dibenzoate	No Target Organs	
Ethylene glycol	Blood, Bone Marrow, Central nervous system, Developmental, Eyes, Irritant, Kidney, Liver, Metabolic	
Quartz (SiO2)	Immune system, Lung, Some evidence of carcinogenicity	
Titanium dioxide	Irritant, Respiratory, Some evidence of carcinogenicity	

12. ECOLOGICAL INFORMATION

Ecological information:

Not available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Hazardous waste number:

Dispose of according to Federal, State and local governmental regulations.

It is the responsibility of the user to determine if an item is hazardous as defined in the Resource Conservation and Recovery Act (RCRA) at the time of disposal. Product uses, transformations, mixtures, processes, etc., may render the resulting material hazardous, under the criteria of ignitability, corrosivity, reactivity and toxicity characteristics of the Toxicity Characteristics Leaching Procedure (TCLP) 40 CFR 261.20-24.

14. TRANSPORT INFORMATION

U.S. Department of Transportation Ground	d (49 CFR)
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None
International Air Transportation (ICAO/IAT	(<u>A)</u>
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None
Water Transportation (IMO/IMDG)	
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None
15.	REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status:

TSCA 12(b) Export Notification:

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory. None above reporting de minimus

CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA 313:	None above reporting de minimus Immediate Health, Delayed Health This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Ethylene glycol (CAS# 107-21-1).	
California Proposition 65:	This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.	
Canada Regulatory Information		
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Canadian Domestic Substances List.	
WHMIS hazard class:	D.2.A	
16. OTHER INFORMATION		

This material safety data sheet contains changes from the previous version in sections: First issue.

Prepared by: Mary Ellen Roddy, Sr. Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.