# Accella Polyurethane Systems Safety Data Sheet

# 1. Identification of Substance:

Product Name: BAYSEAL CC POLAR - LOW GWP, BAYSEAL CC - LOW GWP (87250513, 87250521)

Supplier Identification: Accella Polyurethane Systems

Address: 2400 Spring Stuebner Rd. Spring, TX 77389 **Telephone:** (281) 350-9000

**24-Hr. Emergency Phone Number:** CHEMTREC (800) 424-9300

Product Use: Polyurethane polyol component

# 2. Hazards Identification

#### **GHS Ratings:**

	ungs.		
	Skin corrosive	1A	Destruction of dermal tissue: Exposure < 3 min. Observation < 1 hour, visible necrosis in at least one animal
	Eye corrosive	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5
	Reproductive toxin	1B	Presumed, Based on experimental animals
	Organ toxin repeated exposure	2	Presumed to be harmful to human health- Animal studies with significant toxic effects relevant to humans at generally moderate exposure (guidance)- Human evidence in exceptional cases
<u>GHS Ha</u>	<u>zards</u>		
	H314	Causes severe skin	burns and eye damage
	H318	Causes serious eye	damage
	H360	May damage fertility	v or the unborn child
	H373	May cause damage	to organs through prolonged or repeated exposure
<u>GHS Pre</u>	ecautions		
	P201	Obtain special instru	uctions before use
	P202	Do not handle until all safety precautions have been read and understood	
	P260	Do not breathe dust/fume/gas/mist/vapours/spray	
	P264	Wash hands thoroughly after handling	
	P280	Wear protective gloves/protective clothing/eye protection/face protection	
	P281	Use personal protective equipment as required	
	P310	Immediately call a POISON CENTER in case of overexposure.	
	P314	Get Medical advice/attention if you feel unwell	
	P321	Specific treatment is urgent (see Section 4 First Aid measures)	
	P363	Wash contaminated	l clothing before reuse
	P301+P330+P331	IF SWALLOWED: R	Rinse mouth. Do NOT induce vomiting
	P303+P361+P353	IF ON SKIN (or hair) skin with water/show	): Remove/Take off immediately all contaminated clothing. Rinse ver
	P304+P340	IF INHALED: Remove breathing	ve victim to fresh air and keep at rest in a position comfortable for
	P305+P351+P338		continuously with water for several minutes. Remove contact d easy to do - continue rinsing

Signal Word: Danger



Acute Toxicity: Eyes: Irritating to eyes Skin: Harmful in contact with skin Inhalation: Not expected to be a route of exposure Ingestion: Harmful if swallowed. Consult physician

Chronic Effects: Possible harmful target organ effects.

#### 3. Composition/Data on Components:

Chemical Name	CAS number	Weight Concentration %
(E)-1-Chloro-3,3,3-trifluoroprop-1-ene	102687-65-0	20.00%
2-Propanol, 1-chloro-, phosphate (3:1)	13674-84-5	8.00%
Tertiary Amine	Tertiary Amine	8.00%
2-Butoxyethanol	111-76-2	5.00%
Ethylene glycol	107-21-1	3.00%

# 4. First Aid Measures:

Inhalation: If inhaled and symptoms ensue, move to fresh air. If breathing is difficult, give oxygen.

After Eye Contact: Rinse opened eye for at least 15 minutes under running water. Remove contact lenses if present and easy to do so, and continue rinsing. If irritation persists contact physician.

After Skin Contact: Clean affected area with soap and plenty of water.

**After Swallowing:** Do not induce vomiting. Consult physician. **Notes to Physician:** Treat symptomatically

#### 5. Fire Fighting Measures:

Flash Point: >257°F, 125°C LEL: 1.00 UEL: N/A Upper and Lower Explosive Limits listed if known. **Suitable Extinguishing Agents:** Water spray, CO2, Foam, Dry chemical

Information about Protection against Explosions and Fires: Closed containers may rupture when exposed to extreme heat.

**Dangerous Products of Decomposition:** Oxides of carbon, oxides of nitrogen, oxides of phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas, hydrogen fluoride

#### 6. Accidental Release Measures:

**Person-Related Safety Precautions:** Use appropriate personal protective equipment during clean up. Evacuate and keep unnecessary people out of spill area. Avoid contact with skin and eyes.

**Measures for Environmental Protection:** Cover and contain spill with absorbent material. Collect for proper disposal according to local, state, and federal regulations.

#### 7. Handling and Storage:

**Information for Safe Handling:** Avoid contact with eyes, skin, or inhalation. **Storage Requirements:** Store in dry, well ventilated area. Keep containers tightly closed. Store between 60°F-100°F. Material may settle.

8. Exposure Controls and Personal Protection:			
Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
(E)-1-Chloro-3,3,3-trifluoropro p-1-ene 102687-65-0	Not Established	Not Established	Not Established
2-Propanol, 1-chloro-, phosphate (3:1) 13674-84-5	Not Established	Not Established	Not Established
Tertiary Amine Tertiary Amine	Not Established	Not Established	Not Established
2-Butoxyethanol 111-76-2	50 ppm TWA; 240 mg/m3 TWA	20 ppm TWA	NIOSH: 5 ppm TWA; 24 mg/m3 TWA
Ethylene glycol 107-21-1	Not Established	100 mg/m3 Ceiling (aerosol only)	Not Established

**Engineering Controls:** No specific measures required. If spraying mixed with isocyanate component refer to that SDS for exposure limits and recommended exhaust ventilation.

**General Protective and Hygienic Measures:** Usual precautionary measures should be adhered to when handling chemicals.

**Respiratory protection:** None required if work area is properly ventilated.

Hand Protection: Protective chemical resistant gloves.

**Eye Protection:** Safety glasses.

Body Protection: Protective work clothing. Launder separately.

# 9. Physical and Chemical Properties:

Physical properties listed where known.

Appearance: Amber liquid

Odor: Mild

Vapor Pressure: N/A Vapor Density: N/A Density: 1.01 Freezing point: N/A Boiling range: 103 - 342°C Evaporation rate: N/A Explosive Limits: 1% Odor threshold: N/A pH: N/A Melting point: N/A Solubility: N/A Flash point: >257°F, 125°C Flammability: N/A Partition coefficient N/A (n-octanol/water): Decomposition temperature: N/A

Autoignition temperature: 230°C

# 10. Stability and Reactivity:

Chemical Incompatible Materials: Avoid contact with isocyanates and strong oxidizing agents.

Hazardous Polymerization: Not expected to occur.

**Dangerous Products of Decomposition:** Oxides of carbon, oxides of nitrogen, oxides of phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas, hydrogen fluoride

11. Toxicologio	cal Information:
Mixture Toxicity	
Oral Toxicity LI	D50: 3,651mg/kg
Dermal Toxicity	/ LD50: 1,745mg/kg
Inhalation Toxi	city LC50: 62mg/L
<b>Component Toxic</b>	ity
13674-84-5	2-Propanol, 1-chloro-, phosphate (3:1)
	Oral LD50: 500 mg/kg (Rat) Dermal LD50: 1,230 mg/kg (Rabbit) Inhalation LC50: 5 mg/L (Rat)
111-76-2	2-Butoxyethanol Oral LD50: 470 mg/kg (Rat) Dermal LD50: 99 mg/kg (Rabbit) Inhalation LC50: 450 ppm (Rat)

#### Individual Toxicity Values Listed if Known

Routes of Entry: Ingestion, skin contact, eye contact Target Organs: Skin, eyes, digestive tract, kidneys Chemicals with Known or Possible Carcinogenic Effects:

CAS Number	Description	<u>% Weight</u> Carcinoge	en Rating
None		No data a	vailable
12. Ecological Information:			

**General Information:** Based on experience, no adverse effects are to be expected if correct disposal procedures have been followed as indicated in section 13. Individual component ecotoxicity listed if known.

#### Component Ecotoxicity

2-Propanol, 1-chloro-, phosphate	96 Hr LC50 Brachydanio rerio: 56.2 mg/L [static]; 96 Hr LC50 Pimephales promelas:
(3:1)	98 mg/L [static]; 96 Hr LC50 Poecilia reticulata: 30 mg/L [static]
	48 Hr EC50 Daphnia magna: 63 mg/L
	72 Hr EC50 Desmodesmus subspicatus: 45 mg/L; 96 Hr EC50 Pseudokirchneriella
	subcapitata: 4 mg/L

2-Butoxyethanol	96 Hr LC50 Lepomis macrochirus: 1490 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 2950 mg/L 48 Hr EC50 Daphnia magna: >1000 mg/L
Ethylene glycol	<ul> <li>96 Hr LC50 Oncorhynchus mykiss: 41000 mg/L; 96 Hr LC50 Oncorhynchus mykiss:</li> <li>14 - 18 mL/L [static]; 96 Hr LC50 Lepomis macrochirus: 27540 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 40761 mg/L [static]; 96 Hr LC50 Pimephales promelas: 40000 - 60000 mg/L [static]; 96 Hr LC50 Poecilia reticulata: 16000 mg/L [static]</li> <li>48 Hr EC50 Daphnia magna: 46300 mg/L</li> <li>96 Hr EC50 Pseudokirchneriella subcapitata: 6500 - 13000 mg/L</li> </ul>

# 13. Disposal Considerations:

Recommendation: Observe local requirements. Dispose of in accordance with local/state/federal regulations.

**Empty Container Precautions:** Recondition or dispose of empty container in accordance with governmental regulations. If container is to be disposed, ensure all product residues are removed and container is empty prior to disposal. Contact the Reusable Industrial Packaging Association (RIPA) at 301-577-3786 to find a drum re-conditioner in North America (www.reusablepackaging.org).

# 14. Transport Information:

Not considered a dangerous good according to transport regulations unless specifically cited below:

#### Agency Proper Shipping Name No data available

UN Number Packing Group Hazard Class

# 15. Regulatory Information:

**OSHA HAZARD COMMUNICATION STANDARD:** This material is classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

SARA 311/312 Hazard Categories: Acute health hazard, chronic health hazard

#### **California Proposition 65**

#### (Safe Drinking Water and Toxic Enforcement Act of 1986)

This product contains no substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute unless otherwise listed:

Warning: This product contains chemicals known to the State of California to cause cancer and/or birth defects or other reproductive harm:

Ethylene glycol 107-21-1 3.00 % DEVELOPMENTAL

#### Massachusetts Right To Know List:

Ethylene glycol 107-21-1 3.00 % 2-Butoxyethanol 111-76-2 5.00 %

#### New Jersey Right To Know List:

Ethylene glycol 107-21-1 3.00 % 2-Butoxyethanol 111-76-2 5.00 %

#### Pennsylvania Right To Know List:

Ethylene glycol 107-21-1 3.00 % 2-Butoxyethanol 111-76-2 5.00 % SARA 302 Extremely Hazardous Substances:

- None

#### Chemicals subject to SARA 313 Reporting:

Ethylene glycol 107-21-1 3.00 %

# This product contains the following REACh listed Substances of Very High Concern (SVHC):

- None

<u>Country</u> Canada US Regulation Canada DSL Toxic Substances Control Act All Components Listed Yes Yes

# 16. Other Information:

# Safety Data Sheet issued by Product Safety Department

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Accella Polyurethane Systems. The data on these sheets relates only to the specific material designated herein. Accella Polyurethane Systems assumes no legal responsibility for use or reliance upon this data. It is the user's responsibility to ensure that their activities comply with federal, state, or local laws.

Date revised: 2017-05-02 Date Prepared: 5/2/2017 **Reviewer Revision 0**