Accella Polyurethane Systems Safety Data Sheet

1. Identification of Substance:

Product Name: BAYSEAL OC X (87005888)

Supplier Identification: Accella Polyurethane Systems

Address: 2400 Spring Stuebner Rd. Spring, TX 77389 **Telephone:** (281) 350-9000

24-Hr. Emergency Phone Number: CHEMTREC (800) 424-9300 International: (703) 527-3887

Product Use: Polyurethane polyol component

2. Hazards Identification

GHS Ratings:

<u>erre raariger</u>				
Skin corrosive	2	Reversible adverse effects in dermal tissue, Draize score: >=		
	4	2.3 < 4.0 or persistent inflammation		
Eye corrosive	1	Serious eye damage: Irreversible damage 21 days after		
Denne dustine terrin	0	exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5		
Reproductive toxin	2	Human or animal evidence possibly with other information		
Organ toxin repeated	2	Presumed to be harmful to human health- Animal studies		
exposure		with significant toxic effects relevant to humans at generally		
		moderate exposure (guidance)- Human evidence in		
		exceptional cases		
<u>GHS Hazards</u>				
H315	Causes skin ir	ritation		
H318	Causes seriou	Causes serious eye damage		
H361		Suspected of damaging fertility or the unborn child		
H373	May cause damage to organs through prolonged or repeated exposure			
GHS Precautions	,			
P201	Obtain special	l instructions before use		
P202	Do not handle until all safety precautions have been read and understood			
P260	Do not breathe dust/fume/gas/mist/vapours/spray			
P264	Wash hands thoroughly after handling			
P280	Wear protective gloves/protective clothing/eye protection/face protection			
P281	Use personal protective equipment as required			
P310	Immediately call a POISON CENTER in case of overexposure.			
P314	Get Medical advice/attention if you feel unwell			
P321	Specific treatment is urgent (see Section 4 First Aid measures)			
P362	Take off contaminated clothing and wash before reuse			
P302+P352	IF ON SKIN: Wash with soap and water			
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact			
	lenses if prese	ent and easy to do - continue rinsing		
P308+P313	IF exposed or concerned: Get medical advice/attention			
P332+P313	If skin irritation occurs: Get medical advice/attention			
P405	Store locked up			
P501	Dispose of cor	ntents/container in accordance with Section 13		



3. Composition/Data on Components:

Chemical Name	CAS number	Weight Concentration %
2-Propanol, 1-chloro-, phosphate (3:1)	13674-84-5	10.00-20.00%
2-Butyne-1,4-diol, polymer with (chloromethyl)oxirane, brominated, dehydrochlorinated, methoxylated	68441-62-3	10.00-20.00%
Sucrose	57-50-1	10.00-20.00%
Water	7732-18-5	5.00-10.00%
1,3-Propanediamine, N'-[3-(dimethylamino)propyl]-N,N- dimethyl-	6711-48-4	1.00-5.00%
Amines, tallow alkyl, ethoxylated	61791-26-2	1.00-5.00%
Dimethylaminoethoxyethanol	1704-62-7	1.00-5.00%
Triethyl phosphate	78-40-0	1.00-5.00%
Ethanol, 2-[[2-[2-(dimethylamino)ethoxy]ethyl]methylamino]-	83016-70-0 1.00-5.009	

4. First Aid Measures:

Inhalation: If inhaled and symptoms ensue, move to fresh air. If breathing is difficult, give oxygen.

After Eye Contact: Rinse opened eye for at least 15 minutes under running water. Remove contact lenses if present and easy to do so, and continue rinsing. If irritation persists contact physician.

After Skin Contact: Clean affected area with soap and plenty of water.

After Swallowing: Do not induce vomitting. Consult physician. **Notes to Physician:** Treat symptomatically

5. Fire Fighting Measures:	
Flash Point: 90 C (194 F)	
LEL:N/A	UEL: N/A
Upper and Lower Explosive Limits listed if known.	
Suitable Extinguishing Agents: Water spray, CO2, Foam, Dry c	hemical
Information about Protection against Explosions and Fires: C	losed containers may

Information about Protection against Explosions and Fires: Closed containers rupture when exposed to extreme heat.

6. Accidental Release Measures:

Person-Related Safety Precautions: Use appropriate personal protective equipment during clean up.

Evacuate and keep unnecessary people out of spill area. Avoid contact with skin and eyes.

Measures for Environmental Protection: Cover and contain spill with absorbent material. Collect for proper disposal according to local, state, and federal regulations.

7. Handling and Storage:

Information for Safe Handling: Avoid contact with skin or inhalation.

Storage Requirements: Store in dry, well ventilated area. Keep containers tightly closed. Store between 60°F-100°F. Material may settle.

8. Exposure Controls and Personal Protection:				
Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits	
2-Propanol, 1-chloro-, phosphate (3:1) 13674-84-5	Not Established	Not Established	Not Established	
2-Butyne-1,4-diol, polymer with (chloromethyl)oxirane, brominated, dehydrochlorinated, methoxylated 68441-62-3	Not Established	Not Established	Not Established	
Sucrose 57-50-1	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	10 mg/m3 TWA	NIOSH: 10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)	
Water 7732-18-5	Not Established	Not Established	Not Established	
1,3-Propanediamine, N'-[3- (dimethylamino)propyl]-N,N- dimethyl- 6711-48-4	Not Established	Not Established	Not Established	
Amines, tallow alkyl, ethoxylated 61791-26-2	Not Established	Not Established	Not Established	
Dimethylaminoethoxyethanol 1704-62-7	Not Established	Not Established	Not Established	
Triethyl phosphate 78-40-0	Not Established	Not Established	Not Established	
Ethanol, 2-[[2-[2- (dimethylamino)ethoxy]ethyl] methylamino]- 83016-70-0	Not Established	Not Established	Not Established	

Engineering Controls: No specific measures required. If spraying mixed with isocyanate component refer to that SDS for exposure limits and recommended exhaust ventiliation.

General Protective and Hygienic Measures: Usual precautionary measures should be adhered to when handling chemicals.

Respiratory protection: None required if work area is properly ventilated.
Hand Protection: Protective chemical resistant gloves.
Eye Protection: Safety glasses.
Body Protection: Protective work clothing. Launder separately.

9. Physical and Chemical Properties:

Physical properties listed where known.

Appearance: Amber liquid	Odor: Mild	
Vapor Pressure: N/A	Odor threshold: N/A	
Vapor Density: N/A	pH: N/A	
Density: 1.00	Melting point: N/A	
Freezing point: N/A	Solubility: N/A	
Boiling range: 100 - 342°C	Flash point: 194°F,90°C	
Evaporation rate: N/A	Flammability: N/A	
Explosive Limits: N/A	Partition coefficient (n- N/A octanol/water):	
Autoignition temperature: 452°C	Decomposition temperature: N/A	

10. Stability and Reactivity:

Chemical Incompatible Materials: Avoid contact with isocyanates and strong oxidizing agents.

Hazardous Polymerization: Not expected to occur.

Dangerous Products of Decomposition: Oxides of carbon, oxides of nitrogen, oxides of phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas

11. Toxicological Information:

Mixture Toxicity

Oral Toxicity LD50: 2,004mg/kg Dermal Toxicity LD50: 3,055mg/kg Inhalation Toxicity LC50: 9mg/L Component Toxicity

Individual Toxicity Values Listed if Known

Acute Toxicity: Eyes: Irritating to eyes Skin: Harmful in contact with skin Inhalation: Not expected to be a route of exposure Ingestion: Harmful if swallowed. Consult physician

Chronic Effects: Possible harmful target organ effects

Routes of Entry: Ingestion, skin contact, eye contact Target Organs: Skin, eyes, digestive tract

Chemicals with Known or Possible Carcinogenic Effects:

<u>CAS Number</u> None	Description	<u>% Weight</u>	<u>Carcinogen Rating</u> No data available
12. Ecological Information	on:		
	d on experience, no adverse e ved as indicated in section 13	•	•
Component Ecotoxicity 2-Propanol, 1-chloro-, phosph (3:1)	promelas: 98 mg/Ĺ [s 48 Hr EC50 Daphnia	static]; 96 Hr LC50 Poeci i magna: 63 mg/L lesmus subspicatus: 45 r	atic]; 96 Hr LC50 Pimephales lia reticulata: 30 mg/L [static] mg/L; 96 Hr EC50
Amines, tallow alkyl, ethoxyla	ted 96 Hr LC50 Fish: 1.3 48 Hr. EC50 Daphnia 96 Hr ErC50 Algae: 1	a: 1.7 mg/L	
Ethanol, 2-[[2-[2-(dimethylami ethoxy]ethyl]methylamino]-	48 Hr EC50 Daphia I	rnus Mykiss (Rainbow Tr Manga (Water Flea): 72 i strum Capricornutum (Gr	mg/L

13. Disposal Considerations:

Recommendation: Observe local requirements. Dispose of in accordance with local/state/federal regulations.

Empty Container Precautions: Recondition or dispose of empty container in accordance with governmental regulations. If container is to be disposed, ensure all product residues are removed and container is empty prior to disposal. Contact the Reusable Industrial Packaging Association (RIPA) at 301-577-3786 to find a drum re-conditioner in North America (www.reusablepackaging.org).

14. Transport Information:

Not considered a dangerous good according to transport regulations unless specifically cited below:

Agency	Proper Shipping Name	UN Number	Packing Group	Hazard Class
	No data available			

15. Regulatory Information:

OSHA HAZARD COMMUNICATION STANDARD: This material is classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

SARA 311/312 Hazard Categories: Acute health hazard, chronic health hazard

California Proposition 65

(Safe Drinking Water and Toxic Enforcement Act of 1986)

This product contains no substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute unless otherwise listed:

Warning: This product contains chemicals known to the State of California to cause

cancer and/or birth defects or other reproductive harm:

- None

Massachusetts Right To Know List:

Sucrose 57-50-1 10.00-20.00 %

New Jersey Right To Know List:

- None

Pennsylvania Right To Know List:

Sucrose 57-50-1 10.00-20.00 %

SARA 302 Extremely Hazardous Substances:

- None

Chemicals subject to SARA 313 Reporting:

- None

This product contains the following REACh listed Substances of Very High Concern (SVHC):

- None

<u>Country</u> Canada US Regulation Canada DSL Toxic Substances Control Act All Components Listed Yes Yes

16. Other Information:

Safety Data Sheet issued by Product Safety Department

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Accella Polyurethane Systems. The data on these sheets relates only to the specific material designated herein. Accella Polyurethane Systems assumes no legal responsibility for use or reliance upon this data. It is the user's responsibility to ensure that their activities comply with federal, state, or local laws.

Date revised: 2017-03-13 Date Prepared: 3/29/2017 **Reviewer Revision 0**