

# Accella Polyurethane Systems

## Safety Data Sheet

### 1. Identification of Substance:

**Product Name:** ECOBAY CC, ECOBAY CC POLAR (83349671, 83352389)

**Supplier Identification:**  
Accella Polyurethane Systems

**Telephone:**  
(281) 350-9000

**Address:**  
2400 Spring Stuebner Rd.  
Spring, TX 77389

**24-Hr. Emergency Phone Number:**  
CHEMTREC (800) 424-9300  
International: (703) 527-3887

**Product Use:** Polyurethane polyol component

### 2. Hazards Identification

#### GHS Ratings:

Skin corrosive	2	Reversible adverse effects in dermal tissue, Draize score: $\geq 2.3 < 4.0$ or persistent inflammation
Eye corrosive	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity $\geq 3$ , Iritis $> 1.5$
Reproductive toxin	1B	Presumed, Based on experimental animals
Organ toxin repeated exposure	2	Presumed to be harmful to human health- Animal studies with significant toxic effects relevant to humans at generally moderate exposure (guidance)- Human evidence in exceptional cases

#### GHS Hazards

H315	Causes skin irritation
H318	Causes serious eye damage
H360	May damage fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure

#### GHS Precautions

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P260	Do not breathe dust/fume/gas/mist/vapours/spray
P264	Wash hands thoroughly after handling
P280	Wear protective gloves/protective clothing/eye protection/face protection
P281	Use personal protective equipment as required
P310	Immediately call a POISON CENTER in case of overexposure.
P314	Get Medical advice/attention if you feel unwell
P321	Specific treatment is urgent (see Section 4 First Aid measures)
P362	Take off contaminated clothing and wash before reuse
P302+P352	IF ON SKIN: Wash with soap and water
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention
P332+P313	If skin irritation occurs: Get medical advice/attention
P405	Store locked up
P501	Dispose of contents/container in accordance with Section 13

Signal Word: Danger



### 3. Composition/Data on Components:

Chemical Name	CAS number	Weight Concentration %
Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-branched nonylphenol	940912-28-7	20.00-30.00%
1,1,1,3,3-Pentafluoropropane	460-73-1	5.00-10.00%
.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl, polymer with methyloxirane and oxirane	26301-10-0	5.00-10.00%
2-Propanol, 1-chloro-, phosphate (3:1)	13674-84-5	5.00-10.00%
Diethylene glycol	111-46-6	1.00-5.00%
2-Butoxyethanol	111-76-2	1.00-5.00%
Pentanedioic acid, 1,5-dimethyl ester	1119-40-0	1.00-5.00%
2-Propanol, 1-[bis[3-(dimethylamino)propyl]amino]-	67151-63-7	1.00-5.00%
Water	7732-18-5	1.00-5.00%

### 4. First Aid Measures:

**Inhalation:** If inhaled and symptoms ensue, move to fresh air. If breathing is difficult, give oxygen.

**After Eye Contact:** Rinse opened eye for at least 15 minutes under running water.

Remove contact lenses if present and easy to do so, and continue rinsing. If irritation persists contact physician

**After Skin Contact:** Clean affected area with soap and plenty of water.

**After Swallowing:** Do not induce vomiting. Consult physician.

**Notes to Physician:** Treat symptomatically

### 5. Fire Fighting Measures:

Flash Point: N/A

LEL: N/A

UEL: N/A

Upper and Lower Explosive Limits listed if known.

**Suitable Extinguishing Agents:** Water spray, CO<sub>2</sub>, Foam, Dry chemical

**Information about Protection against Explosions and Fires:** Closed containers may rupture when exposed to extreme heat.

**Dangerous Products of Decomposition:** Oxides of carbon, oxides of nitrogen, oxides of phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas, hydrogen fluoride

**6. Accidental Release Measures:**

**Person-Related Safety Precautions:** Avoid contact with skin and eyes.

**Measures for Environmental Protection:** Cover and contain spill with absorbent material. Collect for proper disposal according to local, state, and federal regulations. Use appropriate personal protective equipment during clean up. Evacuate and keep unnecessary people out of spill area.

**7. Handling and Storage:**

**Information for Safe Handling:** Avoid contact with skin or inhalation.

**Storage Requirements:** Store in dry, well ventilated area. Keep containers tightly closed. Store between 60°F-100°F. Material may settle.

**8. Exposure Controls and Personal Protection:**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl) amino]methyl]-4-branched nonylphenol 940912-28-7	Not Established	Not Established	Not Established
1,1,1,3,3-Pentafluoropropane 460-73-1	Not Established	Not Established	Not Established
.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl, polymer with methyloxirane and oxirane 26301-10-0	Not Established	Not Established	Not Established
2-Propanol, 1-chloro-, phosphate (3:1) 13674-84-5	Not Established	Not Established	Not Established
Diethylene glycol 111-46-6	Not Established	Not Established	Not Established
2-Butoxyethanol 111-76-2	50 ppm TWA; 240 mg/m3 TWA	20 ppm TWA	NIOSH: 5 ppm TWA; 24 mg/m3 TWA
Pentanedioic acid, 1,5-dimethyl ester 1119-40-0	Not Established	Not Established	Not Established
2-Propanol, 1-[bis[3-(dimethylamino)propyl] amino]- 67151-63-7	Not Established	Not Established	Not Established
Water 7732-18-5	Not Established	Not Established	Not Established

**Engineering Controls:** No specific measures required. If spraying mixed with isocyanate component refer to that SDS for exposure limits and recommended exhaust ventilation.

**General Protective and Hygienic Measures:** Usual precautionary measures should be adhered to when handling chemicals.

**Respiratory protection:** None required if work area is properly ventilated.

**Hand Protection:** Protective chemical resistant gloves.

**Eye Protection:** Safety glasses.

**Body Protection:** Protective work clothing. Launder separately.

## 9. Physical and Chemical Properties:

Physical properties listed where known.

<b>Appearance:</b> Amber liquid	<b>Odor:</b> Mild
<b>Vapor Pressure:</b> N/A	<b>Odor threshold:</b> N/A
<b>Vapor Density:</b> N/A	<b>pH:</b> N/A
<b>Density:</b> 1.15	<b>Melting point:</b> N/A
<b>Freezing point:</b> N/A	<b>Solubility:</b> N/A
<b>Boiling range:</b> 15 - 342°C	<b>Flash point:</b> 200°F, 94°C
<b>Evaporation rate:</b> N/A	<b>Flammability:</b> N/A
<b>Explosive Limits:</b> 1%	<b>Partition coefficient (n-octanol/water):</b> N/A
<b>Autoignition temperature:</b> 229°C	<b>Decomposition temperature:</b> N/A

## 10. Stability and Reactivity:

**Chemical Incompatible Materials:** Avoid contact with isocyanates and strong oxidizing agents.

**Hazardous Polymerization:** Not expected to occur.

**Dangerous Products of Decomposition:** Oxides of carbon, oxides of nitrogen, oxides of phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas, hydrogen fluoride

## 11. Toxicological Information:

### Mixture Toxicity

Oral Toxicity LD50: 2,932mg/kg

Inhalation Toxicity LC50: 77mg/L

### Component Toxicity

13674-84-5 2-Propanol, 1-chloro-, phosphate (3:1)

Oral LD50: 500 mg/kg (Rat) Dermal LD50: 1,230 mg/kg (Rabbit) Inhalation LC50: 5 mg/L (Rat)

111-76-2 2-Butoxyethanol

Oral LD50: 470 mg/kg (Rat) Dermal LD50: 1,250 mg/kg (Rabbit) Inhalation LC50: 450 ppm (Rat)

### Individual Toxicity Values Listed if Known

#### Acute Toxicity:

**Eyes:** Irritating to eyes

**Skin:** Harmful in contact with skin

**Inhalation:** Not expected to be a route of exposure

**Ingestion:** Harmful if swallowed. Consult physician

**Chronic Effects:** Possible harmful target organ effects

**Routes of Entry:** Ingestion, skin contact, eye contact

**Target Organs:** Skin, eyes, digestive tract, kidneys

**Chemicals with Known or Possible Carcinogenic Effects:**

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			No data available

## **12. Ecological Information:**

**General Information:** Based on experience, no adverse effects are to be expected if correct disposal procedures have been followed as indicated in section 13. Individual component ecotoxicity listed if known.

### **Component Ecotoxicity**

2-Propanol, 1-chloro-, phosphate (3:1)	96 Hr LC50 Brachydanio rerio: 56.2 mg/L [static]; 96 Hr LC50 Pimephales promelas: 98 mg/L [static]; 96 Hr LC50 Poecilia reticulata: 30 mg/L [static] 48 Hr EC50 Daphnia magna: 63 mg/L 72 Hr EC50 Desmodesmus subspicatus: 45 mg/L; 96 Hr EC50 Pseudokirchneriella subcapitata: 4 mg/L
Diethylene glycol	96 Hr LC50 Pimephales promelas: 75200 mg/L [flow-through] 48 Hr EC50 Daphnia magna: 84000 mg/L
2-Butoxyethanol	96 Hr LC50 Lepomis macrochirus: 1490 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 2950 mg/L 48 Hr EC50 Daphnia magna: >1000 mg/L
Pentanedioic acid, 1,5-dimethyl ester	96 Hr LC50 Pimephales promelas: 19.6 - 26.2 mg/L [static] 48 Hr EC50 Daphnia magna: 122.1 - 163.5 mg/L

## **13. Disposal Considerations:**

**Recommendation:** Observe local requirements. Dispose of in accordance with local/state/federal regulations.

## **14. Transport Information:**

Not considered a dangerous good according to transport regulations unless specifically cited below:

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
ICAO/IATA	Aviation Regulated Substance, N.O.S. (Contains Hydrofluorocarbons)	3334	III	9

## **15. Regulatory Information:**

**OSHA HAZARD COMMUNICATION STANDARD:** This material is classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

**SARA 311/312 Hazard Categories:** Acute health hazard, chronic health hazard

### **California Proposition 65**

#### **(Safe Drinking Water and Toxic Enforcement Act of 1986)**

This product contains no substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute unless otherwise listed:

**Warning: This product contains chemicals known to the State of California to cause cancer and/or birth defects or other reproductive harm:**

- None

**Massachusetts Right To Know List:**

2-Butoxyethanol 111-76-2 1.00-5.00 %

**New Jersey Right To Know List:**

2-Butoxyethanol 111-76-2 1.00-5.00 %

**Pennsylvania Right To Know List:**

2-Butoxyethanol 111-76-2 1.00-5.00 %

Diethylene glycol 111-46-6 1.00-5.00 %

**SARA 302 Extremely Hazardous Substances:**

- None

**Chemicals subject to SARA 313 Reporting:**

- None

**This product contains the following REACH listed Substances of Very High Concern (SVHC):**

- None

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
Canada	Canada DSL	Yes
US	Toxic Substances Control Act	Yes

**16. Other Information:**

Safety Data Sheet issued by Product Safety Department

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Accella Polyurethane Systems. The data on these sheets relates only to the specific material designated herein. Accella Polyurethane Systems assumes no legal responsibility for use or reliance upon this data. It is the user's responsibility to ensure that their activities comply with federal, state, or local laws.

Date revised: 2017-03-19

Reviewer Revision 0

Date Prepared: 3/19/2017